




# DTrace Topics: Introduction

Brendan Gregg  
Sun Microsystems  
April 2007

```
dtrace -n 'syscall:::entry { @[exe  
dtrace: description 'syscall:::entry  
^C
```

```
iscsitgtd 1  
nscd 1  
operapluginclean 3  
screen-4.0.2 3  
devfsadm 4  
httpd 10  
sendmail 10  
xload 10  
evince 12  
operapluginwrapp 20  
lock 20  
pd 25  
IconMan 32  
81  
Pager 170  
ce 432  
e-terminal 581  
2 1045  
1833  
2574  
fa 2923  
g 4723  
ffice.bin 5037
```

# DTrace Topics: Introduction

- This presentation is an introduction to DTrace, and is part of the “DTrace Topics” collection.
  - > Difficulty: 
  - > Audience: Everyone
- These slides cover:
  - > What DTrace is
  - > What DTrace is for
  - > Who uses DTrace
  - > DTrace Essentials
  - > Usage Features

# What is DTrace

- DTrace is a dynamic troubleshooting and analysis tool first introduced in the Solaris 10 and OpenSolaris operating systems.
- DTrace is many things, in particular:
  - > A tool
  - > A programming language interpreter
  - > An instrumentation framework
- DTrace provides observability across the entire software stack from one tool. This allows you to examine software execution like never before.

# DTrace example #1


- Tracing new processes system-wide,

```
# dtrace -n 'syscall::exece:return { trace(execname); }'  
dtrace: description 'syscall::exece:return ' matched 1 probe  
CPU      ID          FUNCTION:NAME  
  0  76044      exece:return  man  
  0  76044      exece:return  sh  
  0  76044      exece:return  neqn  
  0  76044      exece:return  tbl  
  0  76044      exece:return  nroff  
  0  76044      exece:return  col  
  0  76044      exece:return  sh  
  0  76044      exece:return  mv  
  0  76044      exece:return  sh  
  0  76044      exece:return  more
```

System calls are only one layer of the software stack.

# The Entire Software Stack

- How did you analyse these?



## Examples:

Java, JavaScript, ...

/usr/bin/\*

/usr/lib/\*

man -s2


VFS, DNLC, UFS,  
ZFS, TCP, IP, ...

sd, st, hme, eri, ...

disk data controller

# The Entire Software Stack

- It was possible, but difficult.



## Previously:

debuggers

truss -ua.out

apprtrace, sotruss

truss

prex; tnf\*


lockstat

mdb

kstat, PICs, guesswork

# The Entire Software Stack

- DTrace is all seeing:



## DTrace visibility:

Yes, with providers

Yes

Yes

Yes

Yes

No. Indirectly, yes

# What DTrace is like

- DTrace has the combined capabilities of numerous previous tools and more,

Tool	Capability
<b>truss -ua.out</b>	tracing user functions
<b>appttrace</b>	tracing library calls
<b>truss</b>	tracing system calls
<b>prex; tnf*</b>	tracing some kernel functions
<b>lockstat</b>	profiling the kernel
<b>mdb -k</b>	accessing kernel VM
<b>mdb -p</b>	accessing process VM

Plus a programming language similar to C and awk.



# Syscall Example

- Using truss,

Only examine 1 process

```
$ truss date
execve("/usr/bin/date", 0x08047C9C, 0x08047CA4)  argc = 1
resolvepath("/usr/lib/ld.so.1", "/lib/ld.so.1", 1023) = 12
resolvepath("/usr/bin/date", "/usr/bin/date", 1023) = 13
xstat(2, "/usr/bin/date", 0x08047A58)          = 0
open("/var/ld/ld.config", O_RDONLY)           = 3
fxstat(2, 3, 0x08047988)                       = 0
mmap(0x00000000, 152, PROT_READ, MAP_SHARED, 3, 0) = 0xFEFB0000
close(3)                                       = 0
mmap(0x00000000, 4096, PROT_READ|PROT_WRITE|PROT_EXEC, MAP_PRIVATE|MAP_ANON, -1
sysconfig(_CONFIG_PAGESIZE)                   = 4096
[...]
```

Output is limited to provided options

*truss slows down the target*

# Syscall Example

- Using DTrace,

You choose the output

```
# dtrace -n 'syscall:::entry { printf("%16s %x %x", execname, arg0, arg1); }'
dtrace: description 'syscall:::entry ' matched 233 probes
CPU      ID          FUNCTION:NAME
  1  75943      read:entry           Xorg f 8047130
  1  76211      setitimer:entry      Xorg 0 8047610
  1  76143      writev:entry         Xorg 22 80477f8
  1  76255      pollsys:entry        Xorg 8046da0 1a
  1  75943      read:entry           Xorg 22 85121b0
  1  76035      ioctl:entry          soffice.bin 6 5301
  1  76035      ioctl:entry          soffice.bin 6 5301
  1  76255      pollsys:entry        soffice.bin 8047530 2
[...]
```

Minimum performance cost

Watch every process

# What is DTrace for

- Troubleshooting software bugs
  - > Proving what the problem is, and isn't.
  - > Measuring the magnitude of the problem.
- Detailed observability
  - > Observing devices, such as disk or network activity.
  - > Observing applications, whether they are from Sun, 3<sup>rd</sup> party, or in-house.
- Capturing profiling data for performance analysis
  - > If there is latency somewhere, DTrace can find it

# What isn't DTrace

- DTrace isn't a replacement for kstat or SMNP
  - > kstat already provides inexpensive long term monitoring.
- DTrace isn't sentient, it needs to borrow *your* brain to do the thinking
- DTrace isn't “dTrace”

# Who is DTrace for

- Application Developers
  - > Fetch in-flight profiling data without restarting the apps, even on customer production servers.
  - > Detailed visibility of all the functions that they wrote, and the rest of the software stack.
  - > Add static probes as a stable debug interface.
- Application Support
  - > Provides a comprehensive insight into application behavior.
  - > Analyse faults and root-cause performance issues.
  - > Prove where issues are, and measure their magnitude.

# Who is DTrace for

- System Administrators
  - > Troubleshoot, analyse, investigate where never before.
  - > See more of your system; fills in many observability gaps.
- Database Administrators
  - > Analyse throughput performance issues across all system components.
- Security Administrators
  - > Customised short-term auditing
  - > Malware deciphering

# Who is DTrace for

- Kernel Engineers
  - > Fetch kernel trace data from almost every function.
  - > Function arguments are auto-casted providing access to all struct members.
  - > Fetch nanosecond timestamps for function execution.
  - > Troubleshoot device drivers, including during boot.
  - > Add statically defined trace points for debugging.

# How to use DTrace

- DTrace can be used by either,
  - > Running prewritten one-liners and scripts
    - DTrace one-liners are easy to use and often useful,  
<http://www.solarisinternals.com/dtrace>
    - The DTraceToolkit contains over 100 scripts ready to run,  
<http://www.opensolaris.org/os/community/dtrace/dtracetoolkit>
  - > Writing your own one-liners and scripts
    - Encouraged - the possibilities are endless
    - It helps to know C
    - It can help to know operating system fundamentals



# DTrace wins


- Finding unnecessary work
  - > Having deep visibility often finds work being performed that isn't needed. Eliminating this can produce the biggest DTrace wins – 2x, 20x, etc.
- Solving performance issues
  - > Being able to measure where the latencies are, and show what their costs are. These can produce typical performance wins – 5%, 10%, etc.

# DTrace wins

- Finding bugs
  - > Many bugs are found through static debug frameworks; DTrace is a dynamic framework that allows custom and comprehensive debug info to be fetched when needed.
- Proving performance issues
  - > Many valuable DTrace wins have no immediate percent improvement, they are about gathering evidence to prove the existence and magnitude of issues.

# Example scenario: The past

- Take a performance issue on a complex customer system,




Customer:

“Why is our system slow?”


- With previous observability tools, customers could often find problems but not take the measurements needed to prove that they found **the** problem.
  - > What is the latency cost for this issue? As a percent?

# Example scenario: The past





- The “blame wheel”

# Example scenario: The past



Customer:

“I think I've found the issue  
in the application code.”



Application Vendor:

“That issue is costly to fix.  
We are happy to fix it, so long as  
you can prove that this is **the** issue.”




- The lack of proof can mean stalemate.

# Example scenario: The future

## A happy ending

- With DTrace, all players can examine all of the software themselves.



Customer:  
“I *measured* the problem,  
it is in the application.”




Application Vendor:  
“I'd better fix that right away.”


- Example: “80% of the average transaction time is spent in the application waiting for user-level locks.”

# Example scenario: The future

An alternate happy ending for application vendors



Application Vendor:  
“We measured the problem  
and found it was in the OS.”



OS Vendor:  
“We'd better fix that right away.”

- Example: “80% of our average transaction time is consumed by a bug in libc.”

# Answers to initial questions

- DTrace is not available for Solaris 9.
- You need to be root, or have the correct privileges, to run `/usr/sbin/dtrace`.
- There is a GUI called chime.
- DTrace is safe for production use, provided you don't deliberately try to cause harm.
- DTrace has low impact when in use, and zero impact when not.



# What's next:

- We just covered,
  - > *What DTrace is*
  - > *What DTrace is for*
  - > *Who uses DTrace*
- Next up is,
  - > DTrace Essentials
  - > Usage Features

# Terminology

- Example #1

consumer



probe



action



```
# dtrace -n 'syscall::exece:return { trace(execname); }'
dtrace: description 'syscall::exece:return ' matched 1 probe
CPU      ID          FUNCTION:NAME
  0  76044      exece:return  man
  0  76044      exece:return  sh
  0  76044      exece:return  neqn
  0  76044      exece:return  tbl
  0  76044      exece:return  nroff
[...]
```

# Consumer

- Consumers of libdtrace(3LIB),
 

<code>dtrace</code>	command line and scripting interface
<code>lockstat</code>	kernel lock statistics
<code>plockstat</code>	user-level lock statistics
<code>intrstat</code>	run-time interrupt statistics
- libdtrace is currently a private interface and not to be used directly (nor is there any great reason to); the supported interface is `dtrace(1M)`.
  - > NOTE: You are still encouraged to use `libkstat(3LIB)` and `proc(4)` directly, rather than wrapping `/usr/bin` consumers.

# Privileges

```
$ id
uid=1001(user1) gid=1(other)
$ /usr/sbin/dtrace -n 'syscall::exece:return'
dtrace: failed to initialize dtrace: DTrace requires additional privileges
```

- Non-root users need certain DTrace privileges to be able to use DTrace.
- These privileges are from the Solaris 10 “Least Privilege” feature.

# Probes

- Data is generated from instrumentation points called “probes”.
- DTrace provides thousands of probes.
- Probe examples:

## Probe Name

`syscall::read:entry`

`proc:::exec-success`

`io:::start`

`io:::done`

## Description

A read() syscall began

A process created successfully

An I/O was issued (disk/vol/NFS)

An I/O completed

# Probe Names

- Probe names are a four-tuple,

Provider    Module    Function    Name  
    ↘          ↘          ↘          ↘  
**syscall::exece:return**

- > Provider      A library of related probes.
- > Module        The module the function belongs to, either a kernel module or user segment.
- > Function      The function name that contains the probe.
- > Name          The name of the probe.

# Listing Probes

- `dtrace -l` lists all currently available probes that you have privilege to see, with one probe per line,

```
# dtrace -l
  ID  PROVIDER          MODULE          FUNCTION NAME
   1   dtrace              BEGIN
   2   dtrace              END
   3   dtrace              ERROR
   4   sched              FX              fx_yield schedctl-yi
[...]
```

```
# dtrace -l | wc -l
69880
```

- Here the root user sees 69,879 available probes.
- The probe count changes – it is dynamic (DTrace).

# Tracing Probes

- `dtrace -n` takes a probe name and enables tracing,

```
# dtrace -n syscall::exece:return
dtrace: description 'syscall::exece:return' matched 1 probe
CPU      ID          FUNCTION:NAME
  0    76044          exece:return
  0    76044          exece:return
^C
```

- The default output contains,
  - CPU            CPU id that event occurred on (if this changes, the output may be shuffled)
  - ID            DTrace probe id
  - FUNCTION : NAME      Part of the probe name



# Providers

- Examples of providers,

<b>Provider</b>	<b>Description</b>
<code>syscall</code>	system call entries and returns
<code>proc</code>	process and thread events
<code>sched</code>	kernel scheduling events
<code>sysinfo</code>	system statistic events
<code>vminfo</code>	virtual memory events
<code>io</code>	system I/O events
<code>profile</code>	fixed rate sampling
<code>pid</code>	user-level tracing
<code>fbt</code>	raw kernel tracing

# Providers

- Example of probes,

Provider	Example probe
syscall	syscall::read:entry
proc	proc:::exec-success
sched	sched:::on-cpu
sysinfo	sysinfo:::readch
vminfo	vminfo:::maj_fault
io	io:::start
profile	profile:::profile-1000hz
pid	pid172:libc:fopen:entry pid172:a.out:main:entry
fbt	fbt::bdev_strategy:entry

# Providers

- Providers are documented in the DTrace Guide as separate chapters.
- Providers are dynamic; the number of available probes can vary.
- Some providers are “unstable interface”, such as `fbt` and `sdt`.
  - > This means that their probes, while useful, may vary in name and arguments between Solaris versions.
  - > Try to use stable providers instead (if possible).

# Provider Documentation

- Some providers assume a little background knowledge, other providers assume a lot. Knowing where to find supporting documentation is important.
- Where do you find documentation on,
  - > Syscalls?
  - > User Libraries?
  - > Application Code?
  - > Kernel functions?

# Provider Documentation

- Additional documentation may be found here,

<b>Target</b>	<b>Provider</b>	<b>Additional Docs</b>
syscalls	<code>syscall</code>	man(2)
libraries	<code>pid:lib*</code>	man(3C)
app code	<code>pid:a.out</code>	source code?
raw kernel	<code>fbt</code>	Solaris Internals 2 <sup>nd</sup> Ed, <a href="http://cvs.opensolaris.org">http://cvs.opensolaris.org</a>

# Actions

- When a probe fires, an action executes.
- Actions are written in the D programming language.
- Actions can,
  - > print output
  - > save data to variables, and perform calculations
  - > walk kernel or process memory
- With destruction actions allowed, actions can,
  - > raise signals on processes
  - > execute shell commands
  - > write to some areas of memory

# trace() Example

```
# dtrace -n 'syscall::exece:return { trace(execname); }'  
dtrace: description 'syscall::exece:return ' matched 1 probe  
CPU      ID          FUNCTION:NAME  
  0  76044      exece:return  man  
  0  76044      exece:return  sh  
  0  76044      exece:return  neqn  
  0  76044      exece:return  tbl  
  0  76044      exece:return  nroff  
  0  76044      exece:return  col  
[...]
```

- The trace() action accepts one argument and prints it when the probe fired.

# printf() Example

```
# dtrace -n 'syscall::exece:return { printf("%6d %s\n", pid, execname); }'
dtrace: description 'syscall::exece:return ' matched 1 probe
CPU      ID          FUNCTION:NAME
  0    74415      exece:return    4301 sh
  0    74415      exece:return    4304 neqn
  0    74415      exece:return    4305 nroff
  0    74415      exece:return    4306 sh
  0    74415      exece:return    4308 sh
[...]
```

- DTrace ships with a powerful printf(), to print formatted output.



# Default Variables

- Numerous predefined variables can be used, e.g.,
  - > `pid, tid` Process ID, Thread ID
  - > `timestamp` Nanosecond timestamp since boot
  - > `probefunc` Probe function name (3<sup>rd</sup> field)
  - > `execname` Process name
  - > `arg0, ...` Function arguments and return value
  - > `errno` Last syscall failure error code
  - > `curpsinfo` Struct containing current process info, e.g.,  
`curpsinfo->pr_psargs` – process + args
- Pointers and structs! DTrace can walk memory using C syntax, and has kernel types predefined.

# curthread

- `curthread` is a pointer to current `kthread_t`

From here you can walk kernel memory and answer endless questions about OS internals.

- E.g., the current process `user_t` is,  
`curthread->t_procp->p_user`

- You might not ever use `curthread`, but it is good to know that you can. (And there are other ways to get inside the kernel).

## Opinion:

`curthread` is like the down staircase in nethack, angband, moria, ...

# Variable Types

- DTrace supports the following variable types
  - > Integers
  - > Structs
  - > Pointers
  - > Strings
  - > Associative arrays
  - > Aggregates
- Including types from `/usr/include/sys`, e.g. `uint32_t`.

# Aggregations

- A great feature of DTrace is to process data as it is captured, such as using aggregations.
- E.g., frequency counting syscalls,

```
# dtrace -n 'syscall:::entry { @num[probfunc] = count(); }'  
dtrace: description 'syscall:::entry ' matched 233 probes  
^C  
[...]  
writev                                170  
write                                  257  
read                                   896  
pollsys                                959  
ioctl                                  1253
```

@num is the aggregation variable, probfunc is the key, and count () is the aggregating function.

# Aggregating Functions

- These include,
  - > `count()` count events, useful for frequency counts
  - > `sum(value)` sum the value
  - > `avg(value)` average the value
  - > `min(value)` find the value minimum
  - > `max(value)` find the value maximum
  - > `quantize(value)` print power-2 distribution plots

# Quantize

- Very cool function, here we quantize write sizes:

```
# dtrace -n 'sysinfo::writech { @dist[execname] = quantize(arg0); }'  
dtrace: description 'sysinfo::writech ' matched 4 probes  
^C  
[...]  
  ls  
  
      value  ----- Distribution ----- count  
        4 |                                     0  
        8 |                                     2  
       16 |                                     0  
       32 | @@@@@@@@@@@@@@@@@@@@@@@@@@@@         118  
       64 | @@@@@@@@@@@@@@@@@@@@@@@@@@@@         127  
      128 |                                     0  
  
[...]
```

- Here we see that `ls` processes usually write between 32 and 127 bytes. Makes sense?

# ls -l

```
# ls -l /etc
dttotal 793
lrwxrwxrwx   1 root    root      12 Mar 21 03:28 TIMEZONE -> default/init
drwxr-xr-x   4 root    sys       6 Apr 16 06:59 X11
drwxr-xr-x   2 adm     adm       3 Mar 20 09:25 acct
drwxr-xr-x   3 root    root      3 Apr 16 23:11 ak
lrwxrwxrwx   1 root    root      12 Mar 21 03:28 aliases -> mail/aliases
drwxr-xr-x   5 root    sys       5 Feb 20 23:29 amd64
drwxr-xr-x   7 root    bin      18 Mar 20 09:20 apache
drwxr-xr-x   4 root    bin       7 Feb 20 23:12 apache2
drwxr-xr-x   2 root    sys       5 Feb 20 23:27 apoc
-rw-r--r--   1 root    bin     1012 Mar 20 09:33 auto_home
-rw-r--r--   1 root    bin     1066 Mar 20 09:33 auto_master
lrwxrwxrwx   1 root    root     16 Mar 21 03:28 autopush -> ../sbin/autopu
[...]
```

ls writes one line at a time, each around 80 chars long.

# Predicates

- DTrace predicates are used to filter probes, so that the action fires when a conditional is true.

```
probename /predicate/ { action }
```

- E.g., syscalls for processes called “bash”,

```
# dtrace -n 'syscall:::entry /execname == "bash"/ { @num[probfunc] =  
count(); }'  
dtrace: description 'syscall:::entry ' matched 233 probes  
^C  
  
exece                                2  
[...]  
read                                  29  
write                                  31  
lwp_sigmask                            42  
sigaction                              62
```



# Scripting

- If your one-liners get too long, write scripts. E.g., `bash-syscalls.d`,

```
#!/usr/sbin/dtrace -s

syscall:::entry
/execname == "bash"/
{
    @num[probfunc] = count();
}
```

- Getting it running,

```
# chmod 755 bash-syscalls.d
# ./bash-syscalls.d
dtrace: script './bash-syscalls.d' matched 233 probes
[...]
```

# What's next:

- We just covered,
  - > *What DTrace is*
  - > *What DTrace is for*
  - > *Who uses DTrace*
  - > *DTrace Essentials*
- Next up is,
  - > Usage Features

# Measuring Time

- Access to high resolution timestamps is of particular use for performance analysis.
  - > `timestamp`      time since boot in nanoseconds
  - > `vtimestamp`      thread on-CPU timestamp
- Measuring these for application and operating system function calls will answer:
  - > `timestamp`      where is the latency?
  - > `vtimestamp`      why are the CPUs busy?

# Printing Stacks

- Printing user and kernel stack traces explains both *why* and the *how* something happened.
- Why is bash calling read()? Using `ustack()`,

```
# dtrace -n 'syscall::read:entry /execname == "bash"/ { ustack(); }'  
dtrace: description 'syscall::read:entry ' matched 1 probe  
CPU      ID                FUNCTION:NAME  
  0  74314                read:entry  
      libc.so.1`_read+0x7  
      bash`rl_getc+0x22  
      bash`rl_read_key+0xad  
      bash`readline_internal_char+0x5f  
      bash`0x80b1171  
      bash`0x80b118c  
      bash`readline+0x3a
```

[...]

 Ahh, readline()

# Sampling

- DTrace isn't just about tracing events, DTrace can also sample at customised rates.
- E.g., sampling 5-level user stack traces from Xorg,

```
# dtrace -n 'profile-1001 /execname == "Xorg"/ { @[ustack(5)] = count(); }'  
dtrace: description 'profile-1001 ' matched 1 probe
```

```
^C
```

```
libfb.so`fbSolid+0x2c6  
libfb.so`fbFill+0xb8  
libfb.so`fbPolyFillRect+0x1d5  
nvidia_drv.so`0xfe09e87b  
Xorg`miColorRects+0x124
```

```
41
```

```
nvidia_drv.so`_nv000592X+0x3d  
0x1016c00
```

```
87
```

**nvidia was on-CPU  
87 times**

# End of Intro

- DTrace is a big topic, but you don't need to know it all to get value from DTrace.
- To learn more, browse “DTrace Topics”, <http://www.solarisinternals.com/dtrace>.

Here you will find,

- > A wiki version of this presentation
- > The PDF for this presentation
- > dozens of other DTrace Topics (e.g., one-liners!)
- Also see the “Solaris Performance and Tools” book, [http://www.sun.com/books/catalog/solaris\\_perf\\_tools.xml](http://www.sun.com/books/catalog/solaris_perf_tools.xml)

## See Also

- DTrace home,  
<http://www.opensolaris.org/os/community/dtrace>
  - > Main site of links
  - > dtrace-discuss mailing list
- Team DTrace blogs,
  - > <http://blogs.sun.com/bmc>
  - > <http://blogs.sun.com/mws>
  - > <http://blogs.sun.com/ahl>



**dtrace:::END**

**Brendan Gregg**

**Brendan@sun.com**